

About LC0-M Kid Syrup

LC0-M Kid Syrup is used in the treatment of allergies. It helps provide relief from various allergic reactions, such as colds, runny nose, sneezing, etc., in children. An allergic reaction is a response that occurs when foreign particles enter the body. This allergic reaction may vary from person to person.

LC0-M Kid Syrup is an anti-allergic medicine containing Montelukast and Levocetirizine. Montelukast is a leukotriene antagonist, which blocks a chemical messenger (leukotriene) and reduces inflammation and swelling in the nose. Levocetirizine works by blocking the effects of a chemical messenger called 'histamine.' This chemical messenger is naturally involved in allergic reactions. Together, this medicine helps to relieve discomfort and unpleasant symptoms, like blocked/runny/itchy nose and red/watery eyes that occur due to allergic conditions.

LC0-M Kid Syrup may cause certain side effects in your child, such as abdominal pain, headache, cold-like nose symptoms (in children), or diarrhea (in children). These side effects do not require medical attention and gradually resolve over time. However, if the side effects persist or worsen, please consult your pediatrician. LC0-M Kid Syrup should be taken as advised by your doctor. Do not give more than the prescribed dose of LC0-M Kid Syrup to the child. LC0-M Kid Syrup can be given with or without food. The dose of the medicine will be decided by your pediatrician depending on the type and severity of the infection.

LC0-M Kid Syrup is intended for pediatric use only. Avoid giving LC0-M Kid Syrup to your child if she/he is allergic to any of the components present in the formulation. Keep your doctor informed about your child's health condition, including his current medications and medical history, to rule out any side effects/interactions. Before administration, inform your child's doctor about liver and kidney disease.

Uses of LC0-M Kid Syrup

- Treatment of allergic reactions

Medicinal Benefits

LC0-M Kid Syrup is a combination medicine containing levocetirizine (antihistamine) and montelukast (leukotriene antagonist). Montelukast works by blocking a chemical messenger (leukotriene) and reduces inflammation and swelling in the nose. Levocetirizine works by blocking the effects of a chemical messenger called 'histamine.' This chemical messenger is naturally involved in allergic reactions.

Side Effects of LC0-M Kid Syrup

- Nausea
- Diarrhea
- Stomach upset
- Indigestion

Directions for Use

Shake the container well before each use. Measure the required amount of this medicine into the measuring cup and administer it to your child. It is advised to measure the quantity accurately with the help of a syringe or measuring spoon containing markings.

Storage

Store in a cool and dry place away from sunlight.

Drug Warnings

Avoid giving LC0-M Kid Syrup to your child if she/he is allergic to any of the components present in the formulation. Keep your doctor informed about your child's health condition, including his current medications and medical history, to rule out any side effects/interactions. Before administration, also inform your child's doctor about any liver and kidney disease. LC0-M Kid Syrup is not recommended for use in pregnant and breastfeeding mothers, as this medicine is intended for pediatric use only.

Therapeutic Class

- Antihistamine

Drug Interactions

Drug-Drug Interactions: LC0-M Kid Syrup has interactions with antibiotics (azithromycin, erythromycin), antacids (cimetidine), antifungals (ketoconazole), respiratory disease medicine (theophylline), and decongestants (pseudoephedrine), as well as antiviral or anti-HIV drugs (ritonavir).

Drug-Food Interactions: No interactions found/established.

Drug-Disease Interactions: Inform your doctor before administering LC0-M Kid Syrup if your child has any history of kidney or liver disease.

Drug-Drug Interactions Checker List

- Azithromycin
- Erythromycin
- Cimetidine
- Ritonavir
- Ketoconazole

Diet & Lifestyle Advice

- The child's immune system is affected by stress and raises the risk of being sick. Hence try progressive muscle relaxation techniques to relieve stress.
- Sleeping for 7–9 hours each night can make your child stay fit and safe.
- It is advised to avoid contact with known allergens (allergy-causing agents) such as pollen, dust, etc. Certain food items are known to cause allergies to you.
- Make your child drink more fluids to avoid dehydration.

Habit Forming

No

What if I have taken an overdose of LC0-M Kid Syrup?

Please do not exceed the recommended dose, as it might cause an overdose. Signs and symptoms of an overdose of LC0-M Kid Syrup may include headache, mental/mood changes (such as restlessness, agitation), severe drowsiness, sleepiness, stomach pain, thirst, and vomiting. Seek immediate medical attention if you observe any symptoms or think you have taken too much. Do this even if there are no signs of discomfort or poisoning.

Safety Advice

- **Alcohol:** Not applicable
- **Pregnancy:** Not applicable
- **Breastfeeding:** Not applicable
- **Driving:** Not applicable
- **Liver:** If your child has a liver impairment, consult your doctor before using LC0-M Kid Syrup.
- **Kidney:** If your child has a kidney impairment, consult your doctor before using LC0-M Kid Syrup.
- **Children:** LC0-M Kid Syrup is safe for children if prescribed by the doctor. The dose of the medicine will be decided by your pediatrician. Do not give more than the recommended dose to your child.

Disease/Condition Glossary

- **Allergic reaction:** An allergy is an immune system response to foreign elements typically not harmful to your body. These foreign elements are known as 'allergens.' Allergic conditions vary from person to person. Some might be allergic to certain foods and seasonal allergies like hay fever, while others might be allergic to pollen or pet dander. LC0-M Kid Syrup helps

to relieve discomfort and unpleasant symptoms, like blocked/runny/itchy nose, and red/watery eyes that occur due to allergic conditions.

FAQs

1. What is the use of LC0-M Kid Syrup?

LC0-M Kid Syrup is used in the treatment of allergies. It helps provide relief from various allergic reactions, such as colds, runny nose, sneezing, etc.

2. How does LC0-M Kid Syrup work?

LC0-M Kid Syrup is a combination medicine containing levocetirizine (antihistamine) and montelukast (leukotriene antagonist). Montelukast works by blocking a chemical messenger (leukotriene) and reduces inflammation and swelling in the nose. Levocetirizine works by blocking the effects of a chemical messenger called 'histamine' (responsible for allergic reactions).

3. Can we stop giving LC0-M Kid Syrup if the symptoms are relieved?

No, even if the child looks better, it is advised to complete the entire treatment course as prescribed by your pediatrician for better results.